

Emergency Drug Calculator (MAXIMUM WEIGHT = 50KG)

Enter patient weight in KG

PATIENT NAME

DATE

Adrenaline 1:10,000 IV	ml (0.1ml/kg)
Adenosine	mg (100mcg/kg, MAX 500 mcg/kg)
Atropine 600 mcg/ml IV	ml (20mcg/kg). MIN 100mcg or 0.16ml
Bicarbonate 8.4% IV	ml (1ml/kg)
Calcium gluconate 10% IV	ml (0.5ml/kg)
Magnesium sulphate (asthma)	mg (40mg/kg over 20 min)
Defibrillation (Synchronised)	Joule (1 J/kg) Joule (4 J/kg) ASYNC

Infusions (sedation, inotropes and other useful agents)

Morphine IV	mg in 50ml NS, 1ml/hr = 20mcg/kg/hr
Midazolam IV	mg in 50ml NS, 1ml/hr = 1mcg/kg/min
Dopamine (peripheral) IV	mg in 50ml NS, 1ml/hr = 1mcg/kg/min
Dopamine (central) IV	mg in 50ml NS, 1ml/hr = 10mcg/kg/min
Adrenaline (central) IV	mg in 50ml NS, 1ml/hr = 0.1mcg/kg/min
Noradrenaline (central) IV	mg in 50ml NS, 1ml/hr = 0.1mcg/kg/min
Milrinone IV	mg in 50ml NS, 1ml/hr = 0.5mcg/kg/min
Prostin	MCG in 50ml NS, 1ml/hr = 10 NANOgm/kg/min
Insulin infusion	UNITS in 50ml NS, 1ml/hr = 0.05u/kg/hr
Salbutamol (weight ≤10kg)	mg in 50ml NS, 1ml/hr = 0.5mcg/kg/min

if >10kg put 25mg Salbutamol in 50mls NS, then 1ml/hr =

Anticonvulsant and CNS drugs

Lorazepam IV	mg (0.1 mg/kg)
Midazolam IV	mg (0.1 mg/kg)
Phenytoin IV	mg (20 mg/kg) 1st loading dose
Phenobarbitone IV	mg (20 mg/kg) 1st loading dose
Paraldehyde PR	ml (0.4 ml/kg). Use equal volume of oil
Mannitol IV	GRAM (0.5 grammes/kg).
3% saline IV	ml (3 ml/kg)

Muscle relaxation and intubation drugs

Suxamethonium IV	mg (2 mg/kg if <10kg else 1mg/kg)
Rocuronium IV	mg (1mg/kg) for rapid intubation
Pancuronium IV	mg (0.1 mg/kg)
Fentanyl IV	MCG (2 mcg/kg). Titrate dose 1-5 mcg/kg
Ketamine IV	mg (2 mg/kg). 4mg/kg can be used IM
Propofol IV	mg (5 mg/kg) Titrate dose 2-5 mg/kg
Thiopentone IV	mg (5 mg/kg) Titrate dose 2-5 mg/kg
Etomidate IV	mg (0.3 mg/kg) Titrate dose 0.1-0.4 mg/kg (add 2mg/kg IV hydrocortisone if used)

REVISED MARCH 2009

Drug doses above represent average requirements in critically ill children. It's the responsibility of the clinician to ensure drugs are used appropriately according to the clinical situation